



Self-service and labelling scale

1422

- Counter scale with label printer
- Customisable to customer requirements
- Multiple barcode formats
- Back office software for configuration and data maintenance included
- Ingredients and nutritional information



Features

- Bench scale with label printer (max. label width: 60mm)
- FFT 10,1' resistive VGA touchscreen
- A17 quad core, 2 GB RAM (DDR III)
- ▶ Interfaces: 1 x RJ45, 1 x RJ11, 4 x USB2.0 and 2 x RS232
- Dimensions: 388 x 445 x 185 mm
- Platform size: 385 x 280 mm
- Nominal operating temperature: -10°C to 40°C
- Operating system (Linux)
- WLAN function integrated as standard
- VNC remote access possible in the same network
- Customisable to customer requirements
- Standard barcode formats (e.g. EAN13, Code128, QR code)
- Article/product group texts, PLUs, tare, VAT, etc. (unlimited)
- Ingredients and nutritional information
- Back office software for configuration and data maintenance included
- Fully configurable self-service mode
- Adjustable screen tilt angle
- Quick replacement of the printer cartridge (removable)



Products

Order number Variation	Approvable	Division g	Maximum load kg
1422.53.021 Self-service and labelling scales 1422	No	2 5	6 15
1422.54.021 Self-service and labelling scales 1422	No	5 10	15 30



Accessories

Order number

Variation

1795.10.002

Standard printer cartridge

Description